

**New York**  
**Certified Seed Potatoes**  
**2010 Crop Directory**

**Table of Contents**

Seed Potato Certification in New York..... 1  
The Uihlein Farm of Cornell University..... 3  
Potato Varieties Certified in 2010..... 4  
Grower Info and Varieties Grown..... 11  
Cornell Uihlein Potato Farm Personnel..... 12  
Variety/Grower/Classification/Acres..... 13  
NY Seed Potato Certification Personnel..... 23

New York Seed Improvement Project  
103C Leland Lab  
Cornell University  
Ithaca, NY 14853  
607 / 255-9869 Telephone  
607 / 255-9048 FAX

## SEED POTATO CERTIFICATION IN NEW YORK

The primary objectives of seed potato certification are to maintain and make available to the public dependable sources of top quality seed. The New York Certification program, which originated in 1913, represents a voluntary agreement between the seed grower and the certifying agency. The NYS College of Agriculture & Life Sciences (CAL S) at Cornell University, designated by the Commissioner of Agriculture as the official seed certifying agency in the state of New York, works in cooperation with the NYS Department of Agriculture & Markets in carrying out the objectives of seed certification. Seed growers are members of the NY Seed Improvement Cooperative, Inc. Program administration and record keeping are conducted by the New York Seed Improvement Project in CAL S' Plant Breeding and Genetics Department.

The New York Certification program is a limited generation program with two classes of certified seed, "Foundation" and "Certified". The data listed in this directory represent seed potato acreage *entered* for certification this year. In order to be eligible for sale as certified seed, seed potatoes must meet the minimum requirements described in the standards for seed potato certification (1 NYCRR Parts 106 and 107). These requirements include:


- Use of pretested and approved seed stocks.
- A minimum of 2 field inspections.
- A bin inspection of tubers after harvest.
- A winter test.
- A Federal-State shipping point inspection to ensure conformity with New York certified seed grades.

Only seed meeting all of the requirements for certification and bearing official tags or certificates issued by the certification agency may be represented for sale as "Foundation" or "Certified" seed.

<u>TOLERANCES FOR CERTIFIED SEED *</u>			
<u>Factor</u>	<u>Summer</u>	<u>Winter Test</u>	
		<u>F</u>	<u>C</u>
Leaf roll.....	1.0	0.5	5.0
Mosaic.....	1.0	0.5	5.0
Spindle Tuber.....	0.1	0.5	5.0
Total Virus and Spindle Tuber.....	2.0	0.5	5.0
Fusarium and Verticillium Wilt.....	5.0	--	--
Varietal Mixture.....	0.25	0.25	0.25
Ring Rot.....	0.0	0.0	0.0

\*Seed lots passing inspection in New York do not exceed the tolerances listed based on visual inspections. Seed lots are classified as Foundation (F) or Certified (C) based on winter test results.

The seed classes designated by generation (G) of production on a seed grower's farm are shown below.



\* U = Uihlein Farm source noted for first 3 generations;

\*\* Other sources will be designated by appropriate field generation depending upon source. ALL sources must originate from pathogen-tested, tissue culture sources and be G5 or higher seed class to be eligible for entry at planting. All seed lots must be winter tested.

**Bacterial ring rot has NOT been detected in any seed lot of any seed grower since 1987.**

### -- DISCLAIMER OF WARRANTY --

The New York Seed Improvement Project, the New York State College of Agriculture and Life Sciences of Cornell University, and the New York State Department of Agriculture and Markets make no expressed or implied warranties or representations as to the freedom from disease or to the quality or quantity of the crop produced from certified seed, including merchantability or fitness for a particular purpose. The only representation is that the seed potatoes were produced and inspected under the seed potato certification rules and regulations of the State of New York (1 NYCRR Parts 106 and 107).

**THE UIHLEIN FARM OF CORNELL  
UNIVERSITY**

The Uihlein Farm of Cornell University, the official seed potato farm in New York State, is located at an elevation of 2,100 feet in the scenic Adirondack Mountains, approximately 2 miles south of the village of Lake Placid. This well-isolated farm consists of approximately 175 tillable acres. It was donated to Cornell University in the fall of 1961 by Mr. and Mrs. Henry Uihlein II of Heaven Hill Farm, Lake Placid, for the express purpose of producing basic potato seed stocks for the New York potato industry.

In 1977, the Uihleins provided the funds to construct the Henry Uihlein II Laboratory, a facility consisting of a laboratory and an adjoining 125-foot greenhouse. This facility is used to develop disease-free nuclear seed stocks of commercial varieties along with selections from Cornell and other State or Federal potato breeding programs through pathogen-testing of seed originating from tissue cultured plantlets. Plantlets grown in test tubes are thoroughly screened for disease-causing microorganisms including bacteria, fungi, numerous viruses and the potato spindle tuber viroid.

All planting stocks produced on the Uihlein Farm originate from pathogen-tested tissue culture materials. These plantlets are transplanted to pots in the greenhouse or directly to soil for tuber production, and the resultant progeny are used to produce basic planting stocks for the New York seed potato industry. Over one hundred potato varieties are maintained in the Uihlein Farm tissue culture collection, with more than 80 varieties produced under contract. The New York Seed Improvement Cooperative's Potato Certification Committee serves in an advisory capacity in determining the policies regarding potato varieties and the production and allocation of Uihlein seed.

**POTATO VARIETIES & SELECTIONS  
ENTERED FOR CERTIFICATION IN 2010**

Adirondack Blue	Genesee	Peter Wilcox
Adirondack Red	German Butterball	Purple Finger
Albane	Goldrush	Purple Pelisse
Alegria	Juliette	R2-94-18
All Blue	Kasoag Gold	Reba
Amey	Katahdin	Red LaSoda#10
Andover	Kennebec	Red Maria
Apolline	Keuka Gold	Red Pontiac
Argos	La Ratte	Red Sunset
Augusta	LaChipper	Rideau
Austrian Crescent	Lamoka (NY139)	Rio Colorado
Bake-King	Lehigh	Salem
Banana	Marcy	Satina
Carola	Modoc	Sebago
Carrera	NorDonna	Sifra
Castile	Norland	Snowbird
CF 7523-1	NY79	Snowden
Chieftain	NY115	Superior
Chippewa	NY118	US 766-99
Daisy Gold	NY136	Valor
Eramosa	NY141	Waneta (NY138)
Eva	NY142	Yukon Gem
French Fingerling	NYE11-45	Yukon Gold
	Papa Cacho	

**VARIETY/SELECTION  
DESCRIPTIONS**

**Adirondack Blue.** Early to mid-season specialty tablestock. Tubers have dark purple skin and purple flesh. Scab susceptible. PVP applied for #200900287, Cornell University.

**Adirondack Red.** Specialty tablestock. Tubers are long with reddish-purple skin and red flesh. Susceptible to silver scurf. Scab reaction similar to Atlantic. PVP applied for #200900288, Cornell University.

**Alegria.** Medium early tablestock. Round to oval tubers with yellow, textured skin and medium yellow flesh. High yield with good storability. Resistant to PVY, PLRV, golden nematode (Ro1, Ro4), late blight, and common scab. U.S. PVP applied for, Norika Nordring Kartoffelzucht und Vermehrungs GmbH.

**All Blue.** Medium to late season, specialty tablestock. Tubers oblong, shallow eyes, blue purple skin, and deep purple flesh, small to medium size, heavy set and excellent yield. Resistances and susceptibilities unknown.

**Amey.** Late maturity, white-fleshed russet. Tubers oblong, occasionally long. Excellent baking quality, potential processor. Resistant to race A of the golden nematode, Verticillium wilt, powdery scab, and common scab. Susceptible to potato leafroll virus, late blight, and early blight.

**Andover.** Early season tablestock and chipping variety. Tubers spherical with slightly textured skin. Good cooking qualities and specific gravity. Excellent chip color from 45° storage. Relatively free from internal defects. Resistant to scab and golden nematode.

**Argos.** Late maturity fresh market. Round to oval tubers with smooth, buff coloured skin and cream coloured flesh. Very high yielding, with high set and a high percentage of large tubers. Resistant to golden nematode (Ro1). Moderately resistant to pale cyst nematode (Pa2/3), tuber late blight, common scab, black leg, and PVX.

**Austrian Crescent.** Late season, specialty tablestock. Long, crescent-shaped fingerling tubers with smooth, tan skin and light yellow flesh. Resistances and susceptibilities are unknown.

**Bake-King.** Mid-season, tablestock, high specific gravity, and high yield. Tubers oblong, shallow eyes. Free from internal defects and misshapen tubers. Scab susceptible.

**Banana.** Late maturing, specialty tablestock. Tubers are small, banana-shaped with pale yellow skin and flesh. Good scab resistance. Susceptible to PVY.

**Carola.** Mid-season specialty tablestock. Moderate to heavy set with good yield of medium to large oblong tubers with golden skin and pale yellow flesh. Excellent cooking quality. Short to medium dormancy. Good scab resistance, moderate resistance to tuber late blight.

**Carrera.** Early tablestock. Round-oval tubers with bright yellow flesh. Highly resistant to PLRV, nematodes, and potato wart. PVP #200400108, HZPC HOLLAND B.V.

**Castile.** Full season table or processing. Good yield of medium to large tubers that are oblong, with medium shallow eyes, white skin and flesh. Specific gravity equal to Superior. Resistant to golden nematode, pink eye, and Fusarium.

**CF 7523-1.** Midseason tablestock. Possible substitute for Superior. Tubers long to oblong, bright white skin. Good yielder, acceptable chip color and specific gravity. Resistant to golden nematode, net necrosis, early blight, and Verticillium wilt.

**Chieftain.** Mid-season tablestock. Tubers round to oblong, shallow eyes, attractive red skin. Yield >Norland. Specific gravity similar to Norland. Moderately resistant to scab.

**Chippewa.** Medium-early tablestock. Tubers white, with smooth skin, white flesh, shallow eyes, and oval flattened shape. Heavy setter and small tubers under dry conditions. Scab susceptible.

**Eramosa.** Very early tablestock. Plants medium to large with bluish purple flowers. Tubers are oval, semi-flat with shallow eyes, buff skin and white flesh. High yielding, 200 cwt/acre as early as 62 days. Resistant to Rhizoctonia, hollow heart and skinning. Susceptible to PVY. Good storability and excellent boiling.

**Eva.** Mid-season tablestock and chipstock. Very nice plant type. Tubers are medium in size, round in shape, with very bright blemish-free skin and are almost free from pickouts and internal defects. Trial yields have been 116% of Atlantic, 105% of Katahdin and 91% of Allegany. Tuber dormancy is 6 weeks longer than Katahdin and Monona. Resistant to early blight and golden nematode Ro1.

**French Fingerling.** Specialty tablestock. Fingerling with pink skin and yellow flesh. Resistances and susceptibilities unknown.

**Genesee.** Late maturing tablestock. Yield and specific gravity similar to Monona. Tubers round, with white, bright skin, white flesh. Resistant to golden nematode, early blight, and scab.

**Goldrush.** Midseason fresh market and processing. Oblong to long russet with very white flesh. High yielding. Resistant to hollow heart, verticillium wilt and silver scurf. U.S. Patent No. 5,434,343, NDSU Research Foundation.

**Juliette.** Early tablestock. Good yield of long oval, yellow skinned and fleshed tubers. Resistance to common scab and golden nematode. PVP #200100104, GERMICOPA SAS.

**Kasoag Gold.** Midseason tablestock. Tubers have attractive, oblong shape with slightly scurfy skin and pale yellow flesh. Good yields, with tendency for smaller tuber size. Good boiling quality. Medium vine with white flowers. Fair scab resistance. Resistant to golden nematode (Ro1).

**Katahdin.** Late season tablestock. Yield moderately high and specific gravity > Monona. Tubers round, shallow eyes, smooth buff skin and white flesh. Resistant to PVY and PVA, potato leafroll virus. Drought tolerant.

**Kennebec.** Mid-season to late chip and tablestock. Plants very large, blossoms white. Tubers white, elliptical to oblong, with shallow eyes. Sets few tubers so should be spaced closely. Subject to sunburn, second growth, and growth cracks under adverse conditions. Susceptible to scab. Field resistant to late blight.

**Keuka Gold.** Mid-late season tablestock, possibly chipstock from 50° storage. Pale yellow flesh, scurfy skin. Very high yields of large round tubers, very few pickouts. Small percentage of internal defects upstate, but internal necrosis on Long Island. Scab resistance like Superior. Specific gravity like Katahdin. Resistant to golden nematode.

**La Ratte.** Late maturity, specialty tablestock fingerling with smooth buff skin and pale yellow flesh. Resistances and susceptibilities unknown.

**LaChipper.** Mid-season chipstock. Moderate to high yield of smooth, white-skinned tubers. Some resistance to late blight. Susceptible to air pollution damage. Moderately susceptible to scab.

**Lamoka** (NY139). Late maturity chipstock. Large tubers with attractive shape and moderately textured skin. Yields similar to Atlantic. Specific gravity has averaged 0.01 less than Atlantic. Tuber dormancy is six weeks longer than Atlantic. Good chip color from 44F storage. Moderate resistance to common scab. Resistant to golden nematode (Ro1). U.S. plant variety protection (PVP-1994) #200900364 applied for. Cornell University, **Lehigh** (NY126). Mid-late season tablestock. Large tubers with scurfy skin and appealing yellow flesh. Good yields with few pickouts and low levels of internal defects. Good boiling quality. Attractive vines with white flowers. Scab resistance is similar to Pike. Resistant to golden nematode (Ro1).

**Marcy.** Late maturity chipstock. Large vines with white flowers. Tubers have scurfy skin with attractive round shape. Outstanding yield of large tubers. Generally free of pickouts due to external defects, small percentage of internal defects. Resistant to golden nematode and scab. PVP #200200121, Cornell University.

**Modoc** (NDO4300-1R) is an early maturing, round to oval, red skinned clone suitable for fresh market use. Tubers are a uniform bright skin color that does not fade in storage and has shallow eye depth. PVP applied for #200600175, State of Oregon.

**NorDonna.** Medium maturity tablestock. Dark red, oval to round tubers with shallow eyes. White flesh. Medium-high yield. Low incidence of hollow heart. Scab tolerant. PVP #9600243, NDSU Research Foundation.

**Norland.** Early-medium season tablestock. Good yield and low specific gravity. Tubers are round to flesh. Resistant to common scab, leaf roll, PVA, PVY, and wart. "Red" and "Dark Red" strains of Norland possess similar characteristics and have been selected for tuber skin color. These strains are not distinguishable by normal inspection procedures.

**NY79.** Early tablestock. Early yields equal to Superior, full season yields equal to Monona, and low specific gravity. Tuber large, round, white flesh, with a white scurfy skin. Resistant to scab and golden nematode.

**NY115.** Medium maturity table and chipstock. Attractive vine with white flowers. Attractive, bright tubers. Low set, large tuber size with early sizing. Good chip color. Tuber flesh stays white after boiling. Generally free of pickouts and internal defects. May benefit from closer spacing, e.g., 6". Scab resistance like Atlantic. Golden nematode resistant.

**NY118.** Late season tablestock. Tubers are light red with slightly textured skin. Yield, set, and size is similar to Chieftain. Dormancy and scab resistance better than Chieftain. Resistance to golden nematode (Ro1).

**NY136.** Late maturity tablestock with deep red skin. Tuber size slightly small than Chieftain. Dormancy two weeks longer than Chieftain. Moderate resistance to common scab. Resistant to golden nematode (Ro1).

**NY141.** Mid season tablestock with attractive tubers. Marketable yields have exceeded Atlantic in Cornell trials. Early yields exceed Superior. Pickout due to knobby tubers has been 2-3%. Low frequency of internal defects. Tubers remain white after boiling and do not slough. Tuber dormancy is two weeks longer than Atlantic. Moderately resistant to common scab. Resistant to the golden nematode (Ro1).

**NYE11-45.** Mid to late season chip and tablestock. High yielding. Tuber somewhat flattened in shape, bright white skin and flesh. Chips from 45 degree storage. Resistant to golden nematode.

**Peter Wilcox** (B1816-5). Mid-season specialty tablestock. Tubers oblong to round with smooth purple skin and yellow flesh. Medium gravity with small tuber size. Yields low to moderate with US#1 yields similar to Dark Red Norland in ME trials. Susceptibility to skinning may be a problem. Susceptible to silver scurf. Very good for boiling and roasting.

**Purple Pelisse** (POR01PG16-1) is a mid season specialty potato with purple skin and dark purple flesh. An excellent tasting colored fingerling, high in antioxidants, ideal for fresh fingerling market with few tuber defects. PVP applied for #201000299, State of Oregon.

**Reba.** Mid-late season chip and tablestock. High yields with specific gravity slightly greater than Monona. Tubers early sizing, large, white skin and flesh. Resistant to golden nematode and scab.

**Red LaSoda, Selection #10.** Mid-season, high yielding, tablestock. A line selection from a mutation of LaSoda. Tubers round to oval, eyes medium in depth, bright deep red skin, white flesh. Heat tolerant, and resistant to early blight. Susceptible to hollow heart and growth cracks.

**Red Maria** (NY129.) Late season, red-skinned tablestock. High yields of large, round tubers with shallow eyes and textured skin. Yield, dormancy better than Chieftain. Low frequency of pickouts and internal defects. Good boiling quality. Dark green vines with red/purple flowers. Scab resistance is similar to Pike. Resistant to golden nematode (Ro1).

**Red Pontiac.** Mid-season tablestock, high yielding, medium specific gravity. Tubers round to oblong, medium deep eyes, dark red skin, sometimes netted, white flesh. Drought tolerant. Susceptible to PVY, bruising, scab.

**Red Sunset** (AO93487-2R) produces high marketable yield with excellent fresh market quality. This bright red skinned, mid to early maturing variety also has high Vitamin C content. PVP applied for #201000319, State of Oregon.

**Rideau.** Late season tablestock. High yield and specific gravity. Tubers round, shallow eyes, bright red skin. Resistant to Verticillium wilt, scab, potato viruses A and Y, and PLRV.

**Salem.** Mid-season tablestock. High yielding and specific gravity equal to Monona. Tubers large, slightly flat, bright white skin and flesh, early emerging. Resistant to golden nematode and very scab resistant.

**Satina.** Medium-early, high yielding tablestock. Good set of oval to round tubers with smooth, yellow skin and deep yellow flesh. Long dormancy. Resistant to potato cyst nematode Ro1 and wart. Very resistant to common scab. PVP #9600092, Saka-Ragis Pflanzenzucht GbR.

**Sebago.** Very late season table and chipstock. High yielder, medium gravity. Tubers round, shallow eyes, smooth buff skin, and white flesh. Resistant to potato viruses A, Y, and X, early blight, and net necrosis.

**Snowbird.** Medium early tablestock. Round tubers with bright white skin and white flesh. Resistance to common scab and late blight. PVP #200500290, HZPC HOLLAND B.V.

**Snowden.** Late season chipper and tablestock. High yielding, high specific gravity. Chips out of 45°. Tubers round-oval, medium shallow eyes, buff skin, white flesh. Susceptible to scab.

**Superior.** Early tablestock. Medium yield and specific gravity. Tubers round, medium shallow eyes, buff lightly flaky russet skin, white flesh. Resistant to scab. Susceptible to late blight, PVY, and Verticillium wilt.

**Valor.** Late maturity tablestock. Large, oval to round tubers with smooth to netted light yellow skin and cream coloured flesh. High yielding with good resistance to bruising. Tolerance to drought and heat stress. Medium dormancy period. Good storability. Highly resistant to golden nematode (race 1). Moderately resistant to leaf roll, powdery scab, common scab, blackleg, and late blight.

**Waneta.** (NY138) Late maturity chipstock. Large tubers with attractive shape and moderately textured skin. In Cornell trials, yield has been comparable to Atlantic, while gravity has averaged 0.01 less than Atlantic. Few pickouts, but large tubers have shown 5-10% hollow heart. Very good chip color from 44 degree storage. Dormancy is six weeks longer than Atlantic. Less susceptible to blackspot than Snowden. Moderately resistant to common scab. Resistant to the golden nematode (Ro1). PVP applied for #200900363, Cornell University.

**Yukon Gem** (NDA5507-3Y) is a mid-season selection with light-yellow flesh and higher yield potential than Yukon Gold. It produces round to oval, light yellow skin with pink splash around the eyes. The eyes are intermediate in depth and number and are evenly distributed. PVP applied for #200700287, University of Idaho.

**Yukon Gold.** Mid-season tablestock. High yield and high specific gravity. Tubers oval, shallow pink eyes, yellowish-buff skin, and light yellow flesh. Resistant to potato virus A, and leafroll. Susceptible to scab.

### **Notice:**

**Variety/Selection Descriptions.** The descriptions of varieties and selections in this directory are provided for informative purposes only and are not intended to act as a substitute for official variety descriptions. Specific inquiries regarding agronomic characteristics or disease resistances should be directed to the variety developer/owner or your local Cooperative Extension Agent.

**Certification of Varieties/Selections.** This directory may list selections/strains of certain varieties. These strains/selections may possess characteristics that are different from the variety as originally described by the developer. However, these strains/selections cannot normally be distinguished from the original variety using conventional certification methods or laboratory testing, and any representation as to selection/strain is the sole responsibility of the seller.

**Intellectual Property Rights.** Certain varieties may be protected under plant variety protection (PVP), patent, or other intellectual property laws. Production of these varieties may require a license or other permission of the variety owner and it is the responsibility of producers to ensure that appropriate permissions are obtained. Any information provided in this directory regarding the protection of specific varieties is provided for informative purposes only and is not intended to act as a substitute for official sources of such information.

## **2010 Grower Information**

### **Ayers & Gillette**

P.O. Box 84, Pike, NY 14130  
585-493-2394 585-493-9385 FAX  
Andover, NY138, NY139, Snowden

### **Kurt Brehm**

7898A Monkey Run Road, Wayland, NY 14572  
585-315-8746  
Andover, Snowden

### **Childstock Farms, Inc.**

156 Child Road, Malone, NY 12953  
518-483-1239 518-483-4820 FAX  
E-mail: [childstockfarms@verizon.net](mailto:childstockfarms@verizon.net)  
Albane, Alegria, Argos, Augusta, Austrian Crescent,  
Banana, Chieftain, Juliette, Keuka Gold,, LaRatte, Lehigh,  
Marcy, Modoc, NorDonna, NY138, NY139, NY141,  
Papa Cacho, Purple Pelisse, Reba, Red Maria,  
Rio Colorado, RZ-94-18, Satina, Sifra, Snowbird,  
Superior, US 766-99, Valor

### **Hopkinson Farms**

PO Box 164, Williamstown, NY 13493  
315-964-2221  
E-mail: [hopfarms@aol.com](mailto:hopfarms@aol.com)  
Amey, Carola, CF7523-1, Chieftain, Genesee,  
Kasoag Gold, NorDonna, NY79, NY129, NYE11-45,  
Reba, Red LaSoda#10, Superior, Yukon Gold

### **Andy Leed / Starflower Farm**

243 Tubbs Hill Road, Candor, NY 13743  
607-659-3469  
Email: [starflower.farm@gmail.com](mailto:starflower.farm@gmail.com)  
Carola, Chieftain, Daisy Gold,  
French Fingerling, German Butterball,  
Lehigh, Norland-Dark Red, NY142

### **Pryputniewicz, Andrew**

2293 Rte 12, Waterville, NY 13480  
315-841-8426 Phone & FAX  
E-mail: [seedpotato@frontier.com](mailto:seedpotato@frontier.com)  
Adirondack Blue, Chippewa, Eramosa, Genesee,  
Goldrush, Keuka Gold, Lehigh, Norland-Red Sel.,  
NY79, NY115, NY136, NY141, Red Maria,  
Rideau, Salem, Superior, Yukon Gold

### **Pryputniewicz, Bruce H.**

2534 Doolittle Rd, Sauquoit, NY 13456  
315-839-5301 Phone & FAX  
E-mail: [bp1potato@frontiernet.net](mailto:bp1potato@frontiernet.net)  
Adirondack Blue, Adirondack Red, Amey,  
Bake-King, Carola, Castile, Chieftain, Chippewa,  
Eva, French Fingerling, Genesee, Katahdin, Kennebec,  
Keuka Gold, NorDonna, Norland-Red Selection,  
NY79, NY118, NY129, NY141, Reba,  
Red Pontiac, Sebago, Superior, Yukon Gold

### **Saranac Valley Farms Ken White**

PO Box 183, Saranac, NY 12981-0183  
518-293-6427  
Email: [klwhite@westelcom.com](mailto:klwhite@westelcom.com)  
Adirondack Blue, Carola, French Fingerling,  
Keuka Gold, Papa Cacho, Purple Finger, Reba,  
Red Maria, Superior, Yukon Gold

### **Schafer Farms Paul Schafer**

7823 Allegheny Road, Basom, NY 14013  
585-762-9140  
Andover, Genesee, NorDonna, Reba, Snowden

### **Tucker Farms, Inc.**

PO Box 8, Gabriels, NY 12939  
518-578-8436  
Web: tuckertaters.com E-mail: [adkspud@hotmail.com](mailto:adkspud@hotmail.com)  
Adirondack Blue, Adirondack Red, All Blue,  
Carola, Lehigh, Norland-Dark Red Selection,  
Peter Wilcox, Reba, Superior, Yukon Gold

### **Windy Mountain Farms, Inc. Ron Edgley**

55 Balanced Rock Way, Lake Placid, NY 12946  
518-523-3996  
Email: [windynt@roadrunner.com](mailto:windynt@roadrunner.com)  
Albane, Apolline, Carrera, LaChipper, NY136,  
Red LaSoda-Selection #10, Red Sunset, Yukon Gem

### **Cornell - Uihlein Potato Farm**

281 Bear Cub Lane, Lake Placid, NY 12946  
518-523-3258 518-523-4138 FAX  
Email: [cmn5@cornell.edu](mailto:cmn5@cornell.edu)  
Christopher M. Nobles, Lab/Greenhouse Mgr  
Dennis F. Lawrence, Farm Mgr.

Dr. Keith L. Perry, Director  
Dept of Plant Pathology, Cornell University  
Ithaca, NY 14853  
607-254-8243 607-255-4471 FAX  
Email: [klp3@cornell.edu](mailto:klp3@cornell.edu)

VARIETY	Grower	Classification	Acreage
<b>ADIRONDACK BLUE</b>			
	Pryputniewicz, Andrew	FUG1	0.04
	Pryputniewicz, Bruce	FUG1	0.10
		FUG2	0.40
	Saranac Valley/White	FUG1	0.10
	Tucker Farms	FUG1	0.50
		FUG2	<u>2.00</u>
			<b>3.14</b>
<b>ADIRONDACK RED</b>			
	Pryputniewicz, Bruce	FUG1	0.10
		FUG2	0.30
	Tucker Farms	FUG1	0.50
		FUG2	<u>2.00</u>
			<b>2.90</b>
<b>ALBANE</b>			
	Childstock Farms Inc.	FUG1	0.10
	Windy Mt. Farms	FUG1	<u>0.70</u>
			<b>0.80</b>
<b>ALEGRIA</b>			
	Childstock Farms Inc.	FG1	0.14
<b>ALL BLUE</b>			
	Tucker Farms	FUG1	0.50
		FUG2	<u>2.00</u>
			<b>2.50</b>
<b>AMEY</b>			
	Hopkinson Farms	FUG1	0.20
	Pryputniewicz, Bruce	FUG1	0.15
		FUG2	<u>0.80</u>
			<b>1.15</b>
<b>ANDOVER</b>			
	Ayers & Gillette	CG2	17.00
	Brehm, Kurt	CG5	17.33
	Schafer Farms	FUG1	<u>1.80</u>
			<b>36.13</b>
<b>APOLLINE</b>			
	Windy Mt. Farms	FUG1	<b>1.50</b>

**13**

VARIETY	Grower	Classification	Acreage
<b>ARGOS</b>			
	Childstock Farms Inc.	FG2	<b>1.50</b>
<b>AUGUSTA</b>			
	Childstock Farms Inc.	FG1	0.09
		FG2	0.50
		FG3	<u>1.70</u>
			<b>2.29</b>
<b>AUSTRIAN CRESCENT</b>			
	Childstock Farms Inc.	FUG1	1.70
		FUG2	<u>5.60</u>
			<b>7.30</b>
<b>BAKE-KING</b>			
	Pryputniewicz, Bruce	FUG1	<b>0.10</b>
<b>BANANA</b>			
	Childstock Farms Inc.	FUG1	0.90
		FUG2	<u>5.30</u>
			<b>6.20</b>
<b>CAROLA</b>			
	Hopkinson Farms	FUG2	1.79
	Leed/Starflower Farm	FUG1	0.26
	Pryputniewicz, Bruce	FUG1	0.20
		FUG2	0.60
	Saranac Valley/White	FUG1	0.50
	Tucker Farms	FUG1	0.10
		FUG2	<u>0.20</u>
			<b>3.65</b>
<b>CARRERA</b>			
	Windy Mt. Farms	FG3	<b>16.00</b>
<b>CASTILE</b>			
	Pryputniewicz, Bruce	FUG1	0.20
		FUG2	<u>0.80</u>
			<b>1.00</b>
<b>CF 7523-1</b>			
	Hopkinson Farms	FUG1	0.61
		FUG2	9.28
		CUG3	<u>0.20</u>
			<b>10.09</b>

**14**

VARIETY	Grower	Classification	Acreage
<b>CHIEFTAIN</b>			
	Childstock Farms Inc.	FUG1	1.20
	Hopkinson Farms	FUG1	0.20
		CUG2	3.96
	Leed/Starflower Farm	FUG1	0.11
	Pryputniewicz, Bruce	FUG1	0.40
		FUG2	<u>3.00</u>
			<b>8.87</b>
<b>CHIPPEWA</b>			
	Pryputniewicz, Andrew	FUG1	0.15
	Pryputniewicz, Bruce	FUG1	0.15
		FUG3	<u>0.90</u>
			<b>1.20</b>
<b>ERAMOSA</b>			
	Pryputniewicz, Andrew	FUG1	<b>0.18</b>
<b>EVA</b>			
	Pryputniewicz, Bruce	FUG1	<b>0.25</b>
<b>FRENCH FINGERLING</b>			
	Leed/Starflower Farm	FUG1	0.14
	Pryputniewicz, Bruce	FUG1	0.10
		FUG2	0.30
	Saranac Valley/White	FUG1	<u>0.25</u>
			<b>0.79</b>
<b>GENESEE</b>			
	Hopkinson Farms	FUG1	2.16
		CUG2	18.11
	Pryputniewicz, Andrew	FUG1	0.18
		FUG2	1.00
	Pryputniewicz, Bruce	FUG1	1.00
		FUG2	6.30
	Schafer Farms	FUG1	1.70
		FUG3	<u>21.30</u>
			<b>51.75</b>

VARIETY	Grower	Classification	Acreage
<b>GERMAN BUTTERBALL</b>			
	Leed/Starflower Farm	FUG1	<b>0.19</b>
<b>GOLDRUSH</b>			
	Pryputniewicz, Andrew	FUG1	0.04
		FUG3	<u>0.80</u>
			<b>0.84</b>
<b>JULIETTE</b>			
	Childstock Farms Inc.	FUG1	<b>10.30</b>
<b>KASOAG GOLD</b>			
	Hopkinson Farms	FUG1	0.20
		FUG2	<u>4.74</u>
			<b>4.94</b>
<b>KATAHDIN</b>			
	Pryputniewicz, Bruce	FUG1	0.20
		FUG2	<u>0.80</u>
			<b>1.00</b>
<b>KENNEBEC</b>			
	Pryputniewicz, Bruce	FUG1	0.20
		FUG2	<u>1.50</u>
			<b>1.70</b>
<b>KEUKA GOLD</b>			
	Childstock Farms Inc.	FUG1	1.00
		FUG2	11.70
	Pryputniewicz, Andrew	FUG1	2.75
	Pryputniewicz, Bruce	FUG1	0.10
	Saranac Valley/White	FUG1	<u>0.25</u>
			<b>15.80</b>
<b>LA RATTE</b>			
	Childstock Farms Inc.	FUG1	1.80
		FUG2	<u>8.00</u>
			<b>9.80</b>
<b>LaCHIPPER</b>			
	Windy Mt. Farms.	FUG1	4.00
		FUG2	<u>27.50</u>
			<b>31.50</b>

VARIETY	Grower	Classification	Acreage
<b>LAMOKA (NY139)</b>			
	Ayers & Gillette	CG1	14.00
	Childstock Farms Inc.	FUG1	<u>5.10</u>
			<b>19.10</b>
<b>LEHIGH</b>			
	Childstock Farms Inc.	FUG1	3.00
		FUG2	16.30
		FUG3	7.70
	Leed/Starflower Farm	FUG1	0.05
	Pryputniewicz, Andrew	FUG1	0.18
		FUG2	2.60
	Tucker Farms	FUG1	0.10
		FUG2	<u>0.20</u>
			<b>30.13</b>
<b>MARCY</b>			
	Childstock Farms Inc.	FUG1	4.30
		FUG2	<u>34.50</u>
			<b>38.80</b>
<b>MODOC</b>			
	Childstock Farms Inc.	FG1	0.11
		FG2	<u>1.20</u>
			<b>1.31</b>
<b>NORDONNA</b>			
	Childstock Farms Inc.	FUG1	3.90
		FUG2	2.00
	Hopkinson Farms	FUG1	0.20
	Pryputniewicz, Bruce	FUG1	0.25
		FUG2	0.90
	Schafer Farms	FUG1	1.70
		FUG2	<u>5.70</u>
			<b>14.65</b>

VARIETY	Grower	Classification	Acreage
<b>NORLAND, DARK RED SELECTION</b>			
	Leed/Starflower Farm	FUG1	0.18
	Tucker Farms	FUG1	0.50
		FUG2	<u>2.00</u>
			<b>2.68</b>
<b>NORLAND, RED SELECTION</b>			
	Pryputniewicz, Andrew	FUG1	0.22
	Pryputniewicz, Bruce	FUG1	0.40
		FUG2	<u>2.70</u>
			<b>3.32</b>
<b>NYE11-45</b>			
	Hopkinson Farms	FUG1	0.28
		FUG2	<u>5.76</u>
			<b>6.04</b>
<b>NY79</b>			
	Hopkinson Farms	FUG2	1.96
	Pryputniewicz, Andrew	FUG3	0.80
	Pryputniewicz, Bruce	FUG1	<u>0.20</u>
			<b>2.96</b>
<b>NY115</b>			
	Pryputniewicz, Andrew	FUG1	0.30
		FUG2	<u>2.00</u>
			<b>2.30</b>
<b>NY118</b>			
	Pryputniewicz, Bruce	FUG1	0.40
		FUG3	<u>1.80</u>
			<b>2.20</b>
<b>NY136</b>			
	Pryputniewicz, Andrew	FUG2	0.13
	Windy Mt. Farms	FUG2	<u>0.20</u>
			<b>0.33</b>
<b>NY141</b>			
	Childstock Farms Inc.	FUG1	0.40
	Pryputniewicz, Andrew	FUG1	0.18
		FUG2	0.96
	Pryputniewicz, Bruce	FUG1	<u>0.10</u>
			<b>1.64</b>

VARIETY	Grower	Classification	Acreage
<b>NY142</b>			
	Leed/Starflower Farm	FG1	<b>0.02</b>
<b>PAPA CACHO</b>			
	Childstock Farms Inc.	FUG1	0.10
	Saranac Valley/White	FUG1	<u>0.01</u>
			<b>0.11</b>
<b>PETER WILCOX</b>			
	Tucker Farms	FUG1	0.50
		FUG2	<u>2.00</u>
			<b>2.50</b>
<b>PURPLE FINGER</b>			
	Saranac Valley/White	FUG1	<b>0.05</b>
<b>PURPLE PELISSE</b>			
	Childstock Farms Inc.	FG2	<b>0.80</b>
<b>R2-94-18</b>			
	Childstock Farms Inc.	FG1	<b>0.10</b>
<b>REBA</b>			
	Childstock Farms Inc.	FUG1	4.50
		FUG2	32.00
	Hopkinson Farms	FUG1	0.20
		FUG2	5.84
		FUG3	2.94
	Pryputniewicz, Bruce	FUG1	0.25
		FUG2	1.30
	Saranac Valley/White	FUG1	0.25
	Schafer Farms	FUG1	1.90
		FUG2	22.20
	Tucker Farms	FUG1	1.00
		FUG2	4.00
			<b>76.38</b>

VARIETY	Grower	Classification	Acreage
<b>RED LaSODA, SELECTION #10</b>			
	Hopkinson Farms	FUG2	6.21
	Windy Mt. Farms	FUG1	15.00
		FUG2	<u>144.50</u>
			<b>165.71</b>
<b>RED MARIA (NY136)</b>			
	Childstock Farms Inc.	FUG1	2.70
		FUG2	12.20
	Hopkinson Farms	FUG1	0.24
	Pryputniewicz, Andrew	FUG2	2.20
	Pryputniewicz, Bruce	FUG1	0.40
		FUG2	0.90
	Saranac Valley/White	FUG1	<u>0.75</u>
			<b>19.39</b>
<b>RED PONTIAC</b>			
	Pryputniewicz, Bruce	FUG1	0.15
		FUG2	<u>0.80</u>
			<b>0.95</b>
<b>RED SUNSET</b>			
	Windy Mt. Farms	FG1	<b>0.01</b>
<b>RIDEAU</b>			
	Pryputniewicz, Andrew	FUG1	0.18
		FUG2	<u>0.80</u>
			<b>0.98</b>
<b>RIO COLORADO</b>			
	Childstock Farms Inc.	FG1	<b>2.50</b>
<b>SALEM</b>			
	Pryputniewicz, Andrew	FUG1	0.60
		FUG2	<u>5.00</u>
			<b>5.60</b>
<b>SATINA</b>			
	Childstock Farms Inc.	FG1	0.16
		FG2	0.70
		FG3	6.00
		FG4	<u>6.20</u>
			<b>13.06</b>

VARIETY	Grower	Classification	Acreage
<b>SEBAGO</b>			
	Pryputniewicz, Bruce	FUG1	<b>0.40</b>
<b>SIFRA</b>			
	Childstock Farms Inc.	FG1	0.15
		FG2	<u>0.50</u>
			<b>0.65</b>
<b>SNOWBIRD</b>			
	Childstock Farms Inc.	FG1	0.10
		FG2	0.40
		FG3	<u>7.80</u>
			<b>8.30</b>
<b>SNOWDEN</b>			
	Ayers & Gillette	CG2	25.00
	Brehm, Kurt	CG5	9.87
	Schafer Farms	FUG1	<u>1.70</u>
			<b>36.57</b>
<b>SUPERIOR</b>			
	Childstock Farms Inc.	FUG1	5.20
		FUG2	46.90
	Hopkinson Farms	FUG1	0.81
		FUG2	3.43
	Pryputniewicz, Andrew	FUG1	0.44
	Pryputniewicz, Bruce	FUG1	0.40
		FUG2	1.20
	Saranac Valley/White	FUG1	0.25
	Tucker Farms	FUG1	1.50
		FUG2	<u>6.00</u>
			<b>66.13</b>
<b>US 766-99</b>			
	Childstock Farms Inc.	FG1	<b>0.03</b>
<b>VALOR</b>			
	Childstock Farms Inc.	FG2	<b>1.50</b>

VARIETY	Grower	Classification	Acreage
<b>WANETA (NY138)</b>			
	Ayers & Gillette	CG1	10.00
	Childstock Farms Inc.	FUG1	5.50
		FUG2	<u>16.10</u>
			<b>31.60</b>
<b>YUKON GEM</b>			
	Windy Mt. Farms	FG1	<b>0.01</b>
<b>YUKON GOLD</b>			
	Hopkinson Farms	FUG1	0.24
		CUG2	3.51
	Pryputniewicz, Andrew	FUG1	1.05
	Pryputniewicz, Bruce	FUG1	1.00
		FUG2	6.50
	Saranac Valley/White	FUG1	0.50
	Tucker Farms	FUG2	<u>1.00</u>
			<b>13.80</b>

**CORNELL-UIHLEIN POTATO FARM**  
**Acres Entered For Certification 30.34**

**NEW YORK SEED IMPROVEMENT PROJECT**

103C Leland Lab Cornell University  
Ithaca, NY 14853

Alan Westra, Manager

Phone 607-255-9869 Fax 607-255-9048

E-mail: aaw4@cornell.edu

**NEW YORK STATE DEPARTMENT OF  
AGRICULTURE AND MARKETS**

**Inspectors**

Saeed Akhtar

Rachel Wilson-Gordon

Division of Food Safety & Inspection

10B Airline Drive, Albany, NY 12235

518-457-2090

-----  
Tom Tubbs

New York State Fairgrounds

Art and Home Center, Syracuse, NY 13209

315-487-0852

-----  
Allen Welch

Genesee Valley Regional Market Office

900 Jefferson Road, Rochester, NY 14623

585-427-0200

-----  
**Shipping Point Inspections**

This service is under the supervision of the  
New York State Department of Agriculture & Markets.

For appointments, please contact the closest office.

**Albany**

Bill Lyons

*Director of Field Operations*

NYS Department of Agriculture & Markets

10B Airline Drive, Albany, NY 12235

518-457-2090

**Rochester**

Martyn Farrell

*Supervising Farm Products Inspector*

Genesee Valley Regional Market Office

900 Jefferson Road, Rochester, NY 14623

585-427-0200

**Syracuse**

William Miller

*Supervising Farm Products Inspector*

New York State Fairgrounds, Art and Home Center

Syracuse, NY 13209

315-487-0852